(Page 1 of 2)

## State of California AIR RESOURCES BOARD

## **EXECUTIVE ORDER A-9-335**

Relating to Certification of New Heavy-Duty Motor Vehicle Engines

## CHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following 1996 model-year Chrysler Corporation Otto-cycle engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

Fuel Type: Gasoline

Engine Family	Engin <u>Liters</u>	e Displacement (Cubic Inches)	Exhaust Emission Control Systems and Special Features
TCR5.9D8GAJA	5.9	(360)	Sequential Multiport Fuel Injection Dual Heated Oxygen Sensor Secondary Air Injection Dual Three Way Plus Oxidation Catalytic Converter

Engine models and codes are listed on attachments.

The certification exhaust emission standards for this engine family in grams per brake horsepower-hour are:

Total	Carbon	Nitrogen	
Hydrocarbons	<u>Monoxide</u>	<u>Oxides</u>	
1.9	37.1	5.0	

The certification exhaust emission values for this engine family in grams per brake horsepower-hour are:

Engine Family	Total	Carbon	Nitrogen
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>
TCR5.9D8GAJA	0.4	21.3	2.6

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this 15 day

R. B. Summerfield

R. B. Summerfield // Assistant Division Chief Mobile Source Division

day of November 1995.

£.	0	H	A-9-335
L .	υ.	11	

## 1996 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET Page 1 of 1 HEAVY-DUTY OTTO-STANDARD ENGINES

Manufacturer: <u>Chrysler Corporation</u>			
Displacement: 5.9 /	iters <u>3</u>	60 /	Cubic Inches
All Engine Codes in Engine Family: CA	_ 498 50	ıŞ <u>.<b>X.</b></u> Valves≀	/Cylinders: <u>2</u>
<pre>Fuel Type(s): Dedicated X Flex-Fuel</pre>	Dual-Fuel	_Bi-FuelG	asoline <u>X</u>
CNG LNG LPG M			
Maximum Rated Power: 240 HP @ 44	<u>00                                   </u>	igine Configur	ation: <u>V-8</u>
Exhaust ECS (eg., MFI, TC, CAC): <u>Air.</u>	<u>2HO2S, 2<b>T</b>WC+</u> (use abbrevia	-O <b>C)</b> , SFI ntions per SAE	J1930 SEP91)

Engine Model (Eng Code)	Rated HP @ RPM	Ignition System or (ECM/PCM) Part No.	Fuel System Injector & Pump Part No.	EGR Valve Part No.	Catalyst Converter Part No.
CA-100 FA·10C	240 @ 4400	56040112 (PCM)	53030778 (Injector) 52028452 (Pump)	N/A	52018122
·					

Date Issued: 10-09-95

Revisions: <u>11-08-95</u>